




ANCORAGE DU VEHICULE
ANCHORING OF THE VEHICLE
VERANKERUNG DES FAHRZEUGS
ANCORAGGIO DEL VEICOLO
ANCLAJE DEL VEHICULO

AN.27.B + AN.27.03
Ou/Or/Oder/O
AN.34



**M8S
MT10
SVN**



REP.	REFERENCE	NB	PDS	
1	2554.5001	1	0,6	M12x1,50-60
2	2554.5002	1	0,6	
3	2554.5003	2	0,7	
4	2554.5004	1	0,9	M8-35
5	2554.5005	1	0,9	
6	2554.5006	1	1,6	M12-30
7	2554.5007	1	1,6	
8	2554.5008	2	0,1	(M8-30)
9	2554.5009	1	2,6	
10	2554.5010	1	2,6	
11	2554.5011	1	0,9	M12x1,50-130
12	2554.5012	1	0,9	
13	2554.5013	2	0,1	
14	2554.5014	1	0,8	M12x1,50-140
15	2554.5015	1	0,8	
16	2554.5016	2	0,6	
17	2554.5017	1	0,7	M8-45 M8-30
18	2554.5018	1	0,6	
19	2554.5019	1	0,9	
20	2554.5020	1	0,9	
21	2554.5021	1	1,0	M8-30
22	2554.5022	1	0,9	M14x1,50-170
23	2554.5023	1	0,9	
24	2554.5024	4	0,1	
25	2554.5025	1	1,4	M10-25 + M10
26	2554.5026	1	1,4	
27	2554.5027	1	1,1	M14x1,50-130 M14x1,50-220
28	2554.5028	1	1,1	
29	2554.5029	1	1,7	
30	2554.5030	1	1,7	
A	CRM500.01	1	6,7	
B	MR.2554.500	1	0,2	
M 8-30			9	
M 8-35			2	
M 8-45			1	
M 10-25			4	
M 12-30			2	
M 12x1,50-60			2	
M 12x1,50-130			2	
M 12x1,50-140			2	
M 14x1,50-130			2	
M 14x1,50-170			2	
M 14x1,50-220			2	
M 10			4	

○ □ △ Voir texte
Vedere testo
Siehe Text
See text
Ver instrucciones

ROLLS ROYCE


2554.500

42 Kg 18.11.2010 428-D-4A
2554.500-RVA3-1 01




ANCRAGE DU VEHICULE
ANCHORING OF THE VEHICLE
VERANKERUNG DES FAHRZEUGS
ANCORAGGIO DEL VEICOLO
ANCLAJE DEL VEHICULO

AN.27.B + AN.27.03
Ou/Or/Oder/O
AN.34



**M8S
MT10
SVN**



○ □ △ Voir texte
Vedere testo
Siehe Text
See text
Ver instrucciones





FIG. 1

REP.	REFERENCE	NB	PDS	
1	2554.5001	1	0,6	M12x1,50-60
2	2554.5002	1	0,6	
3	2554.5003	2	0,7	
4	2554.5004	1	0,9	M8-35
5	2554.5005	1	0,9	
6	2554.5006	1	1,6	M12-30
7	2554.5007	1	1,6	
8	2554.5008	2	0,1	(M8-30)
9	2554.5009	1	2,6	
10	2554.5010	1	2,6	
11	2554.5011	1	0,9	M12x1,50-130
12	2554.5012	1	0,9	
13	2554.5013	2	0,1	
14	2554.5014	1	0,8	M12x1,50-140
15	2554.5015	1	0,8	
16	2554.5016	2	0,6	
17	2554.5017	1	0,7	M8-45
18	2554.5018	1	0,6	
19	2554.5019	1	0,9	
20	2554.5020	1	0,9	
21	2554.5021	1	1,0	M8-30
22	2554.5022	1	0,9	M14x1,50-170
23	2554.5023	1	0,9	
24	2554.5024	4	0,1	
25	2554.5025	1	1,4	M10-25 + M10
26	2554.5026	1	1,4	
27	2554.5027	1	1,1	M14x1,50-130
28	2554.5028	1	1,1	
29	2554.5029	1	1,7	
30	2554.5030	1	1,7	
A	CRM500.01	1	6,7	
B	MR.2554.500	1	0,2	
M 8-30 M 8-35 M 8-45 M 10-25 M 12-30 M 12x1,50-60 M 12x1,50-130 M 12x1,50-140 M 14x1,50-130 M 14x1,50-170 M 14x1,50-220			9	
			2	
			1	
			4	
			2	
			2	
			2	
M 10			4	

2554.500

42 Kg 18.06.2010 428-D-4B
2554.500-RVA3-1 01













**M8S
MT10
SVN**

ANCORAGE DU VEHICULE
ANCHORING OF THE VEHICLE
VERANKERUNG DES FAHRZEUGS
ANCORAGGIO DEL VEICOLO
ANCLAJE DEL VEHICULO

AN.27.B + AN27.03
Ou/Or/Oder/O
AN.34




○ □ △ Voir texte
Vedere testo
Siehe Text
See text
Ver instrucciones

ROLLS ROYCE

2554.500










42 Kg	18.06.2010	428-D-4C
2554.500-RVA3-2		00



**M8S
MT10
SVN**

ANCORAGE DU VEHICULE
ANCHORING OF THE VEHICLE
VERANKERUNG DES FAHRZEUGS
ANCORAGGIO DEL VEICOLO
ANCLAJE DEL VEHICULO

AN.27.B + AN.27.03
Ou/Or/Oder/O
AN.34



○ □ △ Voir texte
Vedere testo
Siehe Text
See text
Ver instrucciones

ROLLS ROYCE


2554.500

42 Kg	14.12.2010	428-D-4D
2554.500-RVA3-2		00




ANCORAGE DU VEHICULE
ANCHORING OF THE VEHICLE
VERANKERUNG DES FAHRZEUGS
ANCORAGGIO DEL VEICOLO
ANCLAJE DEL VEHICULO


AN.27.B + AN.27.03
Ou/Or/Oder/O
AN.34



**M8S
MT10
SVN**




○ □ △ Voir texte
Vedere testo
Siehe Text
See text
Ver instrucciones



REP.	REFERENCE	NB	PDS	
1	2554.5001	1	0,6	M12x1,50-60
2	2554.5002	1	0,6	
3	2554.5003	2	0,7	
4	2554.5004	1	0,9	M8-35
5	2554.5005	1	0,9	
6	2554.5006	1	1,6	M12-30
7	2554.5007	1	1,6	
8	2554.5008	2	0,1	(M8-30)
9	2554.5009	1	2,6	
10	2554.5010	1	2,6	
11	2554.5011	1	0,9	M12x1,50-130
12	2554.5012	1	0,9	
13	2554.5013	2	0,1	
14	2554.5014	1	0,8	M12x1,50-140
15	2554.5015	1	0,8	
16	2554.5016	2	0,6	
17	2554.5017	1	0,7	M8-45 M8-30
18	2554.5018	1	0,6	
19	2554.5019	1	0,9	
20	2554.5020	1	0,9	
21	2554.5021	1	1,0	M8-30
22	2554.5022	1	0,9	M14x1,50-170
23	2554.5023	1	0,9	
24	2554.5024	4	0,1	
25	2554.5025	1	1,4	M10-25 + M10
26	2554.5026	1	1,4	
27	2554.5027	1	1,1	M14x1,50-130 M14x1,50-220
28	2554.5028	1	1,1	
29	2554.5029	1	1,7	
30	2554.5030	1	1,7	
A	CRM500.01	1	6,7	
B	MR.2554.500	1	0,2	
M 8-30 M 8-35 M 8-45 M 10-25 M 12-30 M 12x1,50-60 M 12x1,50-130 M 12x1,50-140 M 14x1,50-130 M 14x1,50-170 M 14x1,50-220			9	
			2	
			1	
			4	
			2	
			2	
			2	
M 10			4	

2554.500








42 Kg 18.06.2010 428-D-4E
2554.500-RVA3-3 00



**M8S
MT10
SVN**

ANCORAGE DU VEHICULE
ANCHORING OF THE VEHICLE
VERANKERUNG DES FAHRZEUGS
ANCORAGGIO DEL VEICOLO
ANCLAJE DEL VEHICULO

AN.27.B + AN.27.03
Ou/Or/Oder/O
AN.34



○ □ △ Voir texte
Vedere testo
Siehe Text
See text
Ver instrucciones

ROLLS ROYCE

2554.500

42 Kg	14.12.2010	428-D-4F
2554.500 - RVA3 - 3		00

