



CELETTE®

CAR LIFE SOLUTIONS

Griffon In-Ground Composition

Presentation from Japan







FRONT



REAR



STEEL PLATE FOR DRIVE ON








Pit drawing « made in Japan »

IN GROUND GRIFFON TOYOTA JAPAN






CELETTE®

CAR LIFE SOLUTIONS

Griffon 2800 Evolution In Ground
GR07PF.3802


In Ground Griffon 2800 Evolution GR07PF.3802

Including Griffon bench frame / integrated scissor lift / main scissor lift with hydro electric central unit / remote control / set of 4 decking plates / set of 4 sill clamps 9123.013 (Sevenne type)




In Ground Griffon 2800 Evolution GR07PF.3802

Pit dimensions



In Ground Griffon 2800 Evolution GR07PF.3802

With **GR07PF.3802** the sill clamps must be removed from the Griffon bench frame to in ground position



In Ground Griffon 2800 Evolution GR07PF.3802



9123.920 Trolley for accessories



ROLL.100 Dolly for none running vehicles




CELETTE®

CAR LIFE SOLUTIONS


New Rhone In-Ground Composition RH07PF.2800

In Ground Rhone RH07PF.2800


Including Rhone bench frame / scissor lift with hydro electric central unit / remote control / set of 4 decking plates (set of 4 sill clamps are not included)



In Ground Rhone RH07PF.2800




0.035




0.035

In Ground Rhone RH07PF.2800



On In Ground
Rhone the pit
depth is **330** mm



On In Ground
Griffon the pit
depth is **520** mm


In Ground Rhone RH07PF.2800

RVN93X.100 set of 4 wheeled stand composition especially designed for Rhone In Ground Composition RH07PF.2800





9123.013 Set of 4 sill clamps



9123.920 Trolley for accessories



ROLL.100 Dolly for none running vehicles