


SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 7
D x 1



TV400 x 4



MZ080 x 10

MZ141 x 1

MZ142 x 1




MZ200 x 4

MZ260 x 8

MZ601 x 2

MZ602 x 2




P100 x 12


P160 x 12

P220 x 2

P310 x 2



AN.27.B + AN.27.03 /
AN.34 /
AN.34.S /
AN.34.B



9113.023 x 1

utiliser:
use:
verwenden:
utilizzare:
utilizar:

2614.U11.500/15

complément au:

complementary set to: 2614.F56.520
complemento al: + 2614.F45.500/3
zusatz zu: + 2614.U06.500/14

utiliser:
use:
verwenden:
utilizzare:
utilizar:

2614.U11.900

complément au:


complementary set to:
complemento al:
zusatz zu:



SEVENNE / GRIFFON / RHONE x 1




A x 1
B x 1
C x 7
D x 1



TV400 x 4




MZ080 x 10




MZ141 x 1
MZ142 x 1


MZ200 x 4
MZ260 x 8
MZ601 x 2
MZ602 x 2



P100 x 12
P160 x 12
P220 x 2
P310 x 2






AN.27.B + AN.27.03 /
AN.34 /
AN.34.S
AN.34.B





complément au
complementary set to
complemento al
zusatz zu

2614.F56.520 (2614.5B)
+ 2614.F45.500/3 (2614.5A03)
+ 2614.U06.500/14 (2614.5A14)



REP	REFERENCE	NB		NB
CDT.045	CDT.045 (2614.5A15)	2	955714 TFHC M16-60	4
76	2614.5076 (2614.5B)	1	M12x1,50-80	2
77	2614.5077 (2614.5B)	1		
3	2614.5003 (2614.5B)	1	M12x1,50-100	2
4	2614.5004 (2614.5B)	1		
58	2614.5058 (2614.5A03)	1	M12-30	2
59	2614.5059 (2614.5A03)	1		
D.117	D.117 (2614.5B)	2		
8	2614.5008 (2614.5B)	1	M10-80	2
9	2614.5009 (2614.5B)	1		
10	2614.5010 (2614.5B)	1	M14x1,50-80	2
11	2614.5011 (2614.5B)	1		
12	2614.5012 (2614.5B)	2		
13	2614.5013 (2614.5B)	1		
14	2614.5014 (2614.5B)	1		
36	2614.5036 (2614.5A03)	1	M8-40	2
37	2614.5037 (2614.5A03)	1		
38	2614.5038 (2614.5A03)	1		
39	2614.5039 (2614.5A03)	1		
40	2614.5040 (2614.5A03)	1	M12x1,50-40	4
41	2614.5041 (2614.5A03)	1		
42	2614.5042 (2614.5A03)	1	M12x1,50-80	2
43	2614.5043 (2614.5A03)	1		
46	2614.5046 (2614.5A03)	1	M12x1,50-80	2
47	2614.5047 (2614.5A03)	1		
49	2614.5049 (2614.5A03)	1	M8-30	4
50	2614.5050 (2614.5A03)	1		
51	2614.5051 (2614.5A03)	1		
52	2614.5052 (2614.5A03)	1		
53	2614.5053 (2614.5A03)	1	M12x1,50	4
54	2614.5054 (2614.5A03)	1		







SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 3
D x 1



TV400 x 2




MZ080 x 10
MZ140 x 2



MZ260 x 2





P100 x 10
P160 x 4






AN.27.B + AN.27.03 /
AN.34 /
AN.34.S
AN.34.B

complément au
complementary set to
complemento al
zusatz zu



REP	REFERENCE	NB		NB
3	2614.5003 (2614.5B)	1	M12x1,50-100	2
4	2614.5004 (2614.5B)	1		
123	2614.5123 (2614.5A14)	2		
13	2614.5013 (2614.5B)	1		
14	2614.5014 (2614.5B)	1		
38	2614.5038 (2614.5A03)	1		
39	2614.5039 (2614.5A03)	1		
22	2614.5022 (2614.5B)	2	M12x1,50-40	2
42	2614.5042 (2614.5A03)	1	M12x1,50-180	2
43	2614.5043 (2614.5A03)	1		
87	2614.5087 (2614.5A03)	2		
46	2614.5046 (2614.5A03)	1	M12x1,50-80	2
47	2614.5047 (2614.5A03)	1		
130	2614.5130 (2614.5A14)	2		
51	2614.5051 (2614.5A03)	1		
52	2614.5052 (2614.5A03)	1		
124	2614.5124 (2614.5A14)	1	M14-20	2
125	2614.5125 (2614.5A14)	1	M14x1,50-90	2
126	2614.5126 (2614.5A14)	2		
127	2614.5127 (2614.5A14)	2		






SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 7
D x 1



TV400 x 4




MZ080 x 10

MZ141 x 1
MZ142 x 1


MZ200 x 4
MZ260 x 8
MZ601 x 2
MZ602 x 2



P100 x 12
P160 x 12
P220 x 2
P310 x 2




AN.27.B + AN.27.03 /
AN.34 /
AN.34.S
AN.34.B



complément au
complementary set to
complemento al
zusatz zu



2614.F56.520 (2614.5B)
+ 2614.F45.500/3 (2614.5A03)
+ 2614.U06.500/14 (2614.5A14)




BMW iX1 2022> -U11-






ATTENTION: POUR CONTROLER CE VEHICULE, SE REPORTER AUX PRECONISATIONS DU CONSTRUCTEUR.
ATTENTION: TO CONTROL THE VEHICLE, REFER TO MANUFACTURER'S RECOMMENDATIONS.
ACHTUNG: ZUR ÜBERPRÜFUNG DES FAHRZEUGES, DIE HERSTELLERRICHTLINIEN BEACHTEN.
ATTENZIONE: PER IL CONTROLLO DEL VEICOLO, RIVOLGERSI ALLE RACCOMANDAZIONI DEL PRODUTTORE.
ATENCION: AL CONTROL EL VEHICULO, CONSULTE LAS RECOMENDACIONES DEL FABRICANTE.



REP	REFERENCE	NB		NB
CDT.045	CDT.045 (2614.5A15)	2	955714 TFHC M16-60	4
76	2614.5076 (2614.5B)	1	M12x1,50-80	2
77	2614.5077 (2614.5B)	1		
3	2614.5003 (2614.5B)	1	M12x1,50-100	2
4	2614.5004 (2614.5B)	1		
58	2614.5058 (2614.5A03)	1	M12-30	2
59	2614.5059 (2614.5A03)	1		
D.117	D.117 (2614.5B)	2		
8	2614.5008 (2614.5B)	1	M10-80	2
9	2614.5009 (2614.5B)	1		
10	2614.5010 (2614.5B)	1	M14x1,50-80	2
11	2614.5011 (2614.5B)	1		
12	2614.5012 (2614.5B)	2		
38	2614.5038 (2614.5A03)	1		
39	2614.5039 (2614.5A03)	1		
40	2614.5040 (2614.5A03)	1	M12x1,50-40	4
41	2614.5041 (2614.5A03)	1		
42	2614.5042 (2614.5A03)	1	M12x1,50-80	2
43	2614.5043 (2614.5A03)	1		
46	2614.5046 (2614.5A03)	1	M12x1,50-80	2
47	2614.5047 (2614.5A03)	1		
49	2614.5049 (2614.5A03)	1	M8-30	4
50	2614.5050 (2614.5A03)	1		
51	2614.5051 (2614.5A03)	1		
52	2614.5052 (2614.5A03)	1		
53	2614.5053 (2614.5A03)	1	M12x1,50	4
54	2614.5054 (2614.5A03)	1		
131	2614.5131 (2614.5A15)	1	M12x1,50-50	2
132	2614.5132 (2614.5A15)	1		
133	2614.5133 (2614.5A15)	1	M12x1,50-50	2
134	2614.5134 (2614.5A15)	1		






SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 2
D x 1



TV400 x 2




MZ080 x 8
MZ140 x 2



MZ260 x 2





P100 x 8
P160 x 4




AN.27.B + AN.27.03 /
AN.34 /
AN.34.S
AN.34.B





complément au
complementary set to
complemento al
zusatz zu

2614.F56.520 (2614.5B)
+ 2614.F45.500/3 (2614.5A03)
+ 2614.U06.500/14 (2614.5A14)




REP	REFERENCE	NB		NB
3	2614.5003 (2614.5B)	1	M12x1,50-100	2
4	2614.5004 (2614.5B)	1		
123	2614.5123 (2614.5A14)	2		
38	2614.5038 (2614.5A03)	1		
39	2614.5039 (2614.5A03)	1		
22	2614.5022 (2614.5B)	2	M12x1,50-40	2
42	2614.5042 (2614.5A03)	1	M12x1,50-180	2
43	2614.5043 (2614.5A03)	1		
87	2614.5087 (2614.5A03)	2		
46	2614.5046 (2614.5A03)	1	M12x1,50-80	2
47	2614.5047 (2614.5A03)	1		
130	2614.5130 (2614.5A14)	2		
51	2614.5051 (2614.5A03)	1		
52	2614.5052 (2614.5A03)	1		
124	2614.5124 (2614.5A14)	1	M14-20	2
125	2614.5125 (2614.5A14)	1	M14x1,50-90	2
128	2614.5128 (2614.5A14)	2		
129	2614.5129 (2614.5A14)	2		
137	2614.5137 (2614.5A15)	1		
138	2614.5138 (2614.5A15)	1		






SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 3




TV400 x 2




MZ080 x 4
MZ140 x 2



MZ260 x 2




P100 x 2
P160 x 6











AN.27.B + AN.27.03 /
AN.34 /
AN.34.S
AN.34.B

complément au
complementary set to
complemento al
zusatz zu








ATTENTION:
ATTENTION:
ACHTUNG:
ATTENZIONE:
ATENCION:

POUR CONTROLER CE VEHICULE, SE REPORTER AUX PRECONISATIONS DU CONSTRUCTEUR.
TO CONTROL THE VEHICLE, REFER TO MANUFACTURER'S RECOMMENDATIONS.
ZUR ÜBERPRÜFUNG DES FAHRZEUGES, DIE HERSTELLERRICHTLINIEN BEACHTEN.
PER IL CONTROLLO DEL VEICOLO, RIVOLGERSI ALLE RACCOMANDAZIONI DEL PRODUTTORE.
AL CONTROL EL VEHICULO, CONSULTE LAS RECOMENDACIONES DEL FABRICANTE.



REP	REFERENCE	NB		NB
3	2614.5003 (2614.5B)	1	M12x1,50-100	2
4	2614.5004 (2614.5B)	1		
123	2614.5123 (2614.5A14)	2		
46	2614.5046 (2614.5A03)	1	M12x1,50-80	2
47	2614.5047 (2614.5A03)	1		
141	2614.5141 (2614.5A15)	2		
51	2614.5051 (2614.5A03)	1		
52	2614.5052 (2614.5A03)	1		
124	2614.5124 (2614.5A14)	1	M14-20	2
125	2614.5125 (2614.5A14)	1	M14x1,50-90	2
127	2614.5127 (2614.5A14)	2		
128	2614.5128 (2614.5A14)	2		
129	2614.5129 (2614.5A14)	2		
137	2614.5137 (2614.5A15)	1		
138	2614.5138 (2614.5A15)	1		
22	2614.5022 (2614.5B)	2	M12x1,50-40	2
87	2614.5087 (2614.5A03)	2	M12x1,50-180	2
139	2614.5139 (2614.5A15)	1		
140	2614.5140 (2614.5A15)	1		





SEVENNE / GRIFFON / RHONE x 1	A x 1 B x 1 C x 4 D x 1	TV400 x 2	MZ080 x 10 MZ140 x 2	MZ260 x 6	P100 x 10 P160 x 4	AN.27.B + AN.27.03 / AN.34 / AN.34.S / AN.34.B	9113.023 x 1
-------------------------------	--	-----------	---	-----------------------------------	---	--	--------------------------------------

BMW iX1 2022> -U11-



ATTENTION:

ATTENTION:

ACHTUNG:

ATTENZIONE:

ATENCION:



POUR CONTROLER CE VEHICULE, SE REPORTER AUX PRECONISATIONS DU CONSTRUCTEUR.

TO CONTROL THE VEHICLE, REFER TO MANUFACTURER'S RECOMMENDATIONS.

ZUR ÜBERPRÜFUNG DES FAHRZEUGES, DIE HERSTELLERRICHTLINIEN BEACHTEN.

PER IL CONTROLLO DEL VEICOLO, RIVOLGERSI ALLE RACCOMANDAZIONI DEL PRODUTTORE.


AL CONTROL EL VEHICULO, CONSULTE LAS RECOMENDACIONES DEL FABRICANTE.



REP	REFERENCE	NB		NB
103	2614.5603	1	M12	2
104	2614.5604	1		
CP.01	CP.01	2		
VP.010	VP.010	2		
105	2614.5605	1	M12	2
106	2614.5606	1		
CP.01	CP.01	2		
VP.017	VP.017	2		
107	2614.5607	1		
108	2614.5608	1		
CP.02	CP.02	1		
VP.015	VP.015	2		




BMW X1 PHEV 2022> -U11-




1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41

BMW iX1 2022> -U11-



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41




1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41

SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 5
D x 1




TV400 x 2




MZ080 x 10
MZ140 x 2




MZ601 x 2
MZ602 x 2



P100 x 10
P160 x 2




AN.27.B + AN.27.03 /
AN.34 /
AN.34.S /
AN.34.B



9113.023 x 1

REP	REFERENCE	NB	  	NB
109	2614.5609	1	M10-30	2
110	2614.5610	1		
111	2614.5611	1	955750	4
112	2614.5612	1	M12	4
RB	9113.708	2	M18	2
			M18-40	2



BMW iX1 2022> -U11-




ATTENTION:
ATTENTION:
ATTENZIONE:
ATENCION:



POUR CONTROLER CE VEHICULE, SE REPORTER AUX PRECONISATIONS DU CONSTRUCTEUR.
TO CONTROL THE VEHICLE, REFER TO MANUFACTURER'S RECOMMENDATIONS.
ZUR ÜBERPRÜFUNG DES FAHRZEUGES, DIE HERSTELLERRICHTLINIEN BEACHTEN.
PER IL CONTROLLO DEL VEICOLO, RIVOLGERSI ALLE RACCOMANDAZIONI DEL PRODUTTORE.
AL CONTROL EL VEHICULO, CONSULTE LAS RECOMMENDACIONES DEL FABRICANTE.



BMW X1 PHEV 2022> -U11-




BMW iX1 2022> -U11-










1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41






REP	REFERENCE	MASSE	NB	CT
131	2614.5131	0,74	1	
132	2614.5132	0,74	1	
133	2614.5133	0,74	1	
134	2614.5134	0,74	1	
137	2614.5137	3,05	1	
138	2614.5138	3,05	1	
139	2614.5139	0,95	1	
140	2614.5140	0,95	1	
141	2614.5141	0,31	2	
CDT.045	CDT.045	0,97	2	
955714	955714	0,13	4	
M12x1,50-50	7112X05043	0,06	4	
TFHC 16X60	7716X06004	0,10	4	
E	CRM500.01	6,72	1	
	BOUCHON11		6	
	2614.5A15-AC		2	
	2614.5A15-EMB-A4		1	
	2614.5A15-L16-A4		1	
	2614.5A15-CTR		1	
	INSTRUCTION-RVA4-1		1	
	SECURITE-RA4-1		1	





MRD.F.01



REP	REFERENCE	MASSE	NB	CT
103	2614.5603	2,56	1	
104	2614.5604	2,56	1	
105	2614.5605	2,46	1	
106	2614.5606	2,46	1	
107	2614.5607	1,96	1	
108	2614.5608	1,96	1	
109	2614.5609	2,65	1	
110	2614.5610	2,65	1	
111	2614.5611	1,47	1	
112	2614.5612	1,47	1	
RB	9113.708	2,48	2	
CP.01	CP.01	0,02	4	
CP.02	CP.02	0,04	1	
VP.010	VP.010	0,06	2	
VP.015	VP.015	0,04	2	
VP.017	VP.017	0,07	2	
955750	955750	0,06	4	
M10-30	7110X03003Z	0,03	2	
M18-40	7118X04003	0,14	2	
M12	911203Z	0,02	8	
M18	911803Z	0,05	2	
E	CRM670.01	16,75	1	
MRD.F.01	MRD.F.01	0,08	2	
	350M		2	
	2614.8J-AC		3	
	2614.8J-EMB-A3		1	
	2614.5A15-L16-A4		1	
	2614.8J-CTR		1	
	INSTRUCTION-RVA4-1		1	
	SECURITE-RA4-1		1	