

SEVENNE / GRIFFON / RHONE x 1




A x 1

B x 1

C x 7

D x 1



TV400 x 4



MZ080 x 10

MZ141 x 1

MZ142 x 1




MZ200 x 4

MZ260 x 8

MZ601 x 2

MZ602 x 2




P100 x 12

P160 x 12

P220 x 2

P310 x 2




AN.27.B + AN.27.03 /

AN.34 /

AN.34.S /

AN.34.B



9113.023 x 1

utiliser:

use:

verwenden:

utilizzare:

utilizar:

2614.U25.500/17

complément au:

complementary set to: 2614.F56.520

complemento al: + 2614.F45.500/3

zusatz zu: + 2614.U06.500/14

+ 2614.U11.500/15

utiliser:

use:

verwenden:

utilizzare:

utilizar:

2614.U25.900/2


complément au:

complementary set to: 2614.U11.900


complemento al:

zusatz zu:

2614.U25.500/17




2614.U25.900/2




SEVENNE / GRIFFON / RHONE x 1




A x 1
B x 1
C x 7
D x 1



TV400 x 4



MZ080 x 10




MZ141 x 1
MZ142 x 1

MZ200 x 4



MZ260 x 8



P100 x 12



P160 x 12



P220 x 2



P310 x 2






AN.27.B + AN.27.03 /






complément au
complementary set to
complemento al
zusatz zu

2614.F56.520 (2614.5B)
+ 2614.F45.500/3 (2614.5A03)
+ 2614.U06.500/14 (2614.5A14)
+ 2614.U11.500/15 (2614.5A15)



REP	REFERENCE	NB		NB
76	2614.5076 (2614.5B)	1	M12x1,50-80	2
77	2614.5077 (2614.5B)	1		
3	2614.5003 (2614.5B)	1	M12x1,50-100	2
4	2614.5004 (2614.5B)	1		
58	2614.5058 (2614.5A03)	1	M12-30	2
59	2614.5059 (2614.5A03)	1		
D.117	D.117 (2614.5B)	2		
8	2614.5008 (2614.5B)	1	M10-80	2
9	2614.5009 (2614.5B)	1		
10	2614.5010 (2614.5B)	1	M14x1,50-80	2
11	2614.5011 (2614.5B)	1		
12	2614.5012 (2614.5B)	2		
13	2614.5013 (2614.5B)	1		
14	2614.5014 (2614.5B)	1		
36	2614.5036 (2614.5A03)	1	M8-40	2
37	2614.5037 (2614.5A03)	1		
38	2614.5038 (2614.5A03)	1		
39	2614.5039 (2614.5A03)	1		
40	2614.5040 (2614.5A03)	1	M12x1,50-40	4
41	2614.5041 (2614.5A03)	1		
42	2614.5042 (2614.5A03)	1	M12x1,50-80	2
43	2614.5043 (2614.5A03)	1		
46	2614.5046 (2614.5A03)	1	M12x1,50-80	2
47	2614.5047 (2614.5A03)	1		
49	2614.5049 (2614.5A03)	1	M8-30	4
50	2614.5050 (2614.5A03)	1		
51	2614.5051 (2614.5A03)	1		
52	2614.5052 (2614.5A03)	1		
53	2614.5053 (2614.5A03)	1	M12x1,50	4
54	2614.5054 (2614.5A03)	1		






SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 3
D x 1




TV400 x 2




MZ080 x 10
MZ140 x 2



MZ260 x 2



P100 x 10
P160 x 4





AN.27.B + AN.27.03 /
AN.34 /
AN.34.S
AN.34.B






complément au
complementary set to
complemento al
zusatz zu


2614.F56.520 (2614.5B)
+ 2614.F45.500/3 (2614.5A03)
+ 2614.U06.500/14 (2614.5A14)
+ 2614.U11.500/15 (2614.5A15)





REP	REFERENCE	NB		NB
3	2614.5003 (2614.5B)	1	M12x1,50-100	2
4	2614.5004 (2614.5B)	1		
123	2614.5123 (2614.5A14)	2		
13	2614.5013 (2614.5B)	1		
14	2614.5014 (2614.5B)	1		
38	2614.5038 (2614.5A03)	1		
39	2614.5039 (2614.5A03)	1		
22	2614.5022 (2614.5B)	2	M12x1,50-40	2
42	2614.5042 (2614.5A03)	1	M12x1,50-180	2
43	2614.5043 (2614.5A03)	1		
87	2614.5087 (2614.5A03)	2		
46	2614.5046 (2614.5A03)	1	M12x1,50-80	2
47	2614.5047 (2614.5A03)	1		
130	2614.5130 (2614.5A14)	2		
51	2614.5051 (2614.5A03)	1		
52	2614.5052 (2614.5A03)	1		
124	2614.5124 (2614.5A14)	1	M14-20	2
125	2614.5125 (2614.5A14)	1	M14x1,50-90	2
126	2614.5126 (2614.5A14)	2		
127	2614.5127 (2614.5A14)	2		










SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 3



TV400 x 2




MZ080 x 6



MZ260 x 2



P100 x 4
P160 x 4




AN.27.B + AN.27.03 /
AN.34 /
AN.34.S
AN.34.B










complément au
complementary set to
complemento al
zusatz zu

2614.F56.520 (2614.5B)
+ 2614.F45.500/3 (2614.5A03)
+ 2614.U06.500/14 (2614.5A14)
+ 2614.U11.500/15 (2614.5A15)




ATTENTION:
ATTENTION:
ACHTUNG:
ATTENZIONE:
ATENCION:


POUR CONTROLER CE VEHICULE, SE REPORTER AUX PRECONISATIONS DU CONSTRUCTEUR.
TO CONTROL THE VEHICLE, REFER TO MANUFACTURER'S RECOMMENDATIONS.
ZUR ÜBERPRÜFUNG DES FAHRZEUGES, DIE HERSTELLERRICHTLINIEN BEACHTEN.
PER IL CONTROLLO DEL VEICOLO, RIVOLGERSI ALLE RACCOMANDAZIONI DEL PRODUTTORE.
AL CONTROL EL VEHICULO, CONSULTE LAS RECOMENDACIONES DEL FABRICANTE.







DIAG.




REP	REFERENCE	NB		NB
3	2614.5003 (2614.5B)	1	M12x1,50-100	2
4	2614.5004 (2614.5B)	1		
123	2614.5123 (2614.5A14)	2		
46	2614.5046 (2614.5A03)	1	M12x1,50-80	2
47	2614.5047 (2614.5A03)	1		
141	2614.5141 (2614.5A15)	2		
51	2614.5051 (2614.5A03)	1		
52	2614.5052 (2614.5A03)	1		
124	2614.5124 (2614.5A14)	1	M14-20	2
125	2614.5125 (2614.5A14)	1	M14x1,50-90	2
127	2614.5127 (2614.5A14)	2		
128	2614.5128 (2614.5A14)	2		
129	2614.5129 (2614.5A14)	2		
137	2614.5137 (2614.5A15)	1		
138	2614.5138 (2614.5A15)	1		
135	2614.5135 (2614.5A15)	2	M12x1,50-80	2
136	2614.5136 (2614.5A15)	2		
139	2614.5139 (2614.5A15)	1		
140	2614.5140 (2614.5A15)	1		






SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 4
D x 1




TV400 x 2




MZ080 x 10
MZ140 x 2




MZ260 x 6



P100 x 10
P160 x 4



AN.27.B + AN.27.03 /
AN.34 /
AN.34.S /
AN.34.B







9113.023 x 1

complément au
complementary set to
complemento al
zusatz zu
2614.U11.900
(2614.8J)

MINI COUNTRYMAN BEV 2024> -U25-





ATTENTION: POUR CONTROLER CE VEHICULE, SE REPORTER AUX PRECONISATIONS DU CONSTRUCTEUR.
ATTENTION: TO CONTROL THE VEHICLE, REFER TO MANUFACTURER'S RECOMMENDATIONS.
ACHTUNG: ZUR ÜBERPRÜFUNG DES FAHRZEUGES, DIE HERSTELLERRICHTLINIEN BEACHTEN.
ATTENZIONE: PER IL CONTROLLO DEL VEICOLO, RIVOLGERSI ALLE RACCOMANDAZIONI DEL PRODUTTORE.
ATENCION: AL CONTROL EL VEHICULO, CONSULTE LAS RECOMENDACIONES DEL FABRICANTE.



REP	REFERENCE	NB		NB
103	2614.5603 (2614.8J)	1	M12	2
104	2614.5604 (2614.8J)	1		
CP.01	CP.01 (2614.8J)	2		
VP.010	VP.010 (2614.8J)	2		
105	2614.5605 (2614.8J)	1	M12	2
106	2614.5606 (2614.8J)	1		
119	2614.5619 (2614.8J02)	2		
CP.01	CP.01 (2614.8J)	2		
VP.017	VP.017 (2614.8J)	2		
120	2614.5620 (2614.8J02)	1		
121	2614.5621 (2614.8J02)	1		
CP.02	CP.02 (2614.8J)	1		
VP.002	VP.002 (2614.8J02)	2		






1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41

SEVENNE / GRIFFON / RHONE x 1



A x 1
B x 1
C x 5
D x 1




TV400 x 2




MZ080 x 10
MZ140 x 2




MZ601 x 2
MZ602 x 2



P100 x 10
P160 x 2



AN.27.B + AN.27.03 /
AN.34 /
AN.34.S /
AN.34.B




9113.023 x 1

complément au
complementary set to
complemento al
Zusatz zu

2614.U11.900
(2614.8J)

REP	REFERENCE	NB		NB
122	2614.5622 (2614.8J02)	1	M10-40	2
123	2614.5623 (2614.8J02)	1		
124	2614.5624 (2614.8J02)	1	955750	4
125	2614.5625 (2614.8J02)	1	M12	4
RB	9113.708 (2614.8J)	2	M18	2
			M18-60	2





MINI COUNTRYMAN BEV 2024> -U25-









ATTENTION:
ATTENTION:
ACHTUNG:
ATTENZIONE:
ATENCION:

POUR CONTROLER CE VEHICULE, SE REPORTER AUX PRECONISATIONS DU CONSTRUCTEUR.
TO CONTROL THE VEHICLE, REFER TO MANUFACTURER'S RECOMMENDATIONS.
ZUR ÜBERPRÜFUNG DES FAHRZEUGES, DIE HERSTELLERRICHTLINIEN BEACHTEN.
PER IL CONTROLLO DEL VEICOLO, RIVOLGERSI ALLE RACCOMANDAZIONI DEL PRODUTTORE.
AL CONTROL EL VEHICULO, CONSULTE LAS RECOMENDACIONES DEL FABRICANTE.









REP	REFERENCE	MASSE	NB	CT
144	2614.5144	0,17	1	
145	2614.5145	0,17	1	
M12x1,50-50	7112X05043	0,06	2	
230	230	0,37	1	
MR1/1	2614.5A17-1/1-MR-00	0,08	1	
T-LOC-I	T-LOC-I	1,30	1	
	T-MPC-LOC	0,06	1	
	2614.5A17-AC		3	
	2614.5A17-1/1-AC		1	
	2614.5A17-EMB-A4		1	
	2614.5A17-L14-A4		1	
	2614.5A17-CTR		1	
	A678		1	
	A679		1	
	INSTRUCTION-RVA4-1		1	
	SECURITE-RA4-1		1	

13 / 14 2614.5A17-EMB-A4 2,3 KG 13-12-24 00



REP	REFERENCE	MASSE	NB	CT
119	2614.5619	0,01	2	
120	2614.5620	0,62	1	
121	2614.5621	0,62	1	
122	2614.5622	1,20	1	
123	2614.5623	1,21	1	
124	2614.5624	0,42	1	
125	2614.5625	0,42	1	
VP.002	VP.002	0,05	2	
M18-60	711806003	0,18	2	
M10-40	7110X04003Z	0,04	2	
M18	911803Z	0,05	2	
E	135	3,01	1	
VR1	2614.8J02-VR1	0,32	1	
	2614.8J02-AC		2	
	2614.8J02-EMB-A3		1	
	2614.5A17-L14-A4		1	
	2614.8J02-CTR		1	
	INSTRUCTION-RVA4-1		1	
	SECURITE-RA4-1		1	